




CLIENT :
**ANUKAMPA AVAS
VIKAS LLP**

ARCHITECTS :
des|gn
studio
GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS
68, Janak Puri -1st, Indrawati phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2594414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com

STRUCTURAL CONSULTANTS:

SERVICES CONSULTANTS:

VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

LEGENDS:				
Mounting Height	No.	I D	Symbol	Description
CEILING	54	FAN 48"		CEILING FAN 48"
CEILING	37	FAN 36"		CEILING FAN 36"
CEILING	254	DL		LED 6" DOWN LIGHTER 20W (SURFACE MOUNTED) MAKE : SYRA LED CAT NO. : SDL-15W GLD 6.5KGR

SERVICES CONSULTANT:
ASHI ASSOCIATES
F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438,0141-2440946 Mail:vipul8599@yahoo.com
REV. NO. 000 DATE: 10-06-2024

DRN BY:-	CKD BY:-	APPD.:-
RAJENDER	SANJAY	VIPUL AGARWAL

S.No	DATE	REVISION DESCRIPTION

GENERAL NOTES :
1. All dimensions on this drawing are in feet and inches.
2. Only written dimensions are to be followed. Drawing should not be scaled.
3. All measurements must be checked and verified by the contractor prior to execution of work at the site.
4. This drawing is to be read in conjunction with all relevant structural, services & facility planning drawings.
5. Architectural drawings are to be followed for the location of all structural members & masonry walls, for sizes & reinforcement details of structural members, relevant structural drawings are to be referred.
6. Any discrepancies between architectural, structural and services drawings must be brought to the notice of the architect immediately & prior to execution at site.
7. Co-ordinates with services such as basic, plumbing & electrical, etc. is the responsibility of the contractor.
8. All masonry walls should be aligned with the columns as indicated on the plan.
9. For details, refer relevant large scale detail drg. as indicated.

PROJECT: PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM
NAGAR, AJMER ROAD JAIPUR

NAME OF DRAWING:

**1ST FLOOR ELECTRIC
POINT MARKED PLAN**

DRAWN BY:	APPROVED BY:
RAJENDER	VIPUL AGARWAL

NORTH:

PROJECT NO. :	DATE :
302019ANUK00100	10-06-2024

SCALE :	REV NO. /DATE :
	REV NO. /DATE :14-05-2019 REV.COLUMN PB 2.17, CB-1.2.16 LOCATION

DRAWING NO. :	
ANU_A_03	

LEGENDS:

Mounting Height	No.	I D	Symbol	Description
CEILING	46	CH		CHANDELIER
CEILING	60	FAN		CEILING FAN
CEILING	88	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no.:- SDL-15W GLD 6.5K/4K
CEILING	184	HL		HANGING LIGHT
CEILING	598	DL		CEILING LIGHT POINT
+90"	09	TL/W		Led Wall Tube Light Make:- Syska Led Cat no.:- SSK-TS-20W
+21"	59	FL		FLOOR LIGHT MAKE CAT NO:- ACTPTWL08
CEILING		CL		COVE LIGHT POINT
As Per Furniture		WRL		WARD ROBE LIGHT
+42"	203	SB		SWITCH BOARD
+24"	92	2WSB		2 WAY SWITCH BOARD (AT BED SIDE TABLE)
+24"/+42"		6A SC		6A SOCKET ON SWITCH BOARD
+24"		6A S		6A ONE WAY SWITCH
+24"/+42"		16A S		16A POWER SWITCH
+24"/+36"	92	TEL		TELEPHONE POINT FOR BED SIDE
+24"/+36"	92	LP TEL		6 A PLUG POINT FOR TELEPHONE
+42"	46	TV		TV COAXIAL POINT
+42"	92	LP TV		6 A PLUG POINT FOR TV
+24"	140	PC		DATA JACK FOR COMPUTER POINT
+24"/+42"	49	HDMI		HDMI PORT
+24"/+36"	233	LP		6 A PLUG POINT
+42"	46	LP		6 A PLUG POINT FOR TOILET
+72"	46	LP-CHL		6 A PLUG POINT FOR CHIMNEY
+24"	49	PP		16 A POWER POINT FOR STUDY TABLE
+42"	46	PP-MIX.		16 A POWER POINT FOR MIXER
+42"	46	PP-M		16 A POWER POINT FOR MINI BAR
+33"	46	PP-TK		16 A POWER POINT FOR TEA KETTLE
+78"	46	PP-WP		16 A POWER POINT FOR WATER PURIFIER
+78"	92	PP-G		16 A POWER POINT FOR GEYSER
+90"	51	PP-SAC		250W POWER POINT FOR SPLIT AC
+24"	51	AC		AC STARTER
+90"	51	SAC		SPLIT AC INDOOR UNIT
+42"	46	MDB		MAKE MY ROOM, DO NOT DISTURB & BELL PUSH
+42"	46	BZ		BUZZER POINT
+42"	46	KT		KEY TAG FOR ROOMS
+60"	46	R DB		ROOMS MCB DISTRIBUTION BOARD

CLIENT :- ANUKAMPA AVAS VIKAS LLP

PROJECT :- PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR,
AJMER ROAD JAIPUR

DRAWING TYPE :-

2nd & 3rd FLOOR ELECTRIC
POINT MARKING PLAN

DRN. By: MAHENDRA

CHECK. By: SANJAY

DATE: 08-06-2024

SERVICES CONSULTANT:

ASHI ASSOCIATES

F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946
Mail:vipul8599@yahoo.com

ARCHITECT :-
desig studio

GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS

68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2594414
email: studiographite@gmail.com
Website: www.graphitedesignstudio.com

LEGENDS:

Mounting Height	No.	I D	Symbol	Description
CEILING	52	CHI		CHANDELIER
CEILING	52	FAN		CEILING FAN
CEILING	52	HL		HANGING LIGHT
CEILING	65	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no.:- SDL-15W GLD 6.5K/4K
CEILING	208	HL		HANGING LIGHT
CEILING	676	DL		CEILING LIGHT POINT
+21"	52	FL		FOOT LIGHT RABTREE MAKE CAT NO.:- ACTPTW108
CEILING		CL		COVE LIGHT POINT
As Per Furniture		WRL		WARD ROBE LIGHT
+42"	218	SB		SWITCH BOARD
+24"	105	2WSB		2 WAY SWITCH BOARD (AT BED SIDE TABLE)
+24"/+42"		6A SC		6A SOCKET ON SWITCH BOARD
+24"		6A S		6A ONE WAY SWITCH
+24"/+42"		16A S		16A POWER SWITCH
+24"/+36"	104	TEL		TELEPHONE POINT FOR BED SIDE
+24"/+36"	104	LP TEL		6 A PLUG POINT FOR TELEPHONE
+42"	52	TV		TV COAXIAL POINT
+42"	104	LP TV		6 A PLUG POINT FOR TV
+24"	104	PC		DATA JACK FOR COMPUTER POINT
+24"/+42"	104	HDMI		HDMI PORT
+24"/+36"	251	LP		6 A PLUG POINT
+42"	52	LP		6 A PLUG POINT FOR TOILET
+72"	52	LP-CHI		6 A PLUG POINT FOR CHIMNEY
+24"	52	PP		16 A POWER POINT FOR STUDY TABLE
+42"	52	PP-MIX		16 A POWER POINT FOR MIXER
+42"	52	PP-M		16 A POWER POINT FOR MINI BAR
+33"	52	PP-TK		16 A POWER POINT FOR TEA KETTLE
+78"	52	PP-WP		16 A POWER POINT FOR WATER PURIFIER
+78"	104	PP-G		16 A POWER POINT FOR GEYSER
+90"	52	PP-SAC		250W POWER POINT FOR SPLIT AC
+24"	52	AC		AC STARTER
+90"	52	SAC		SPLIT AC INDOOR UNIT
+42"	52	MDB		MAKE MY ROOM, DO NOT DISTURB & BELL PUSH
+42"	52	BZ		BUZZER POINT
+42"	52	KT		KEY TAG FOR ROOMS
+60"	52	R DB		ROOMS MCB DISTRIBUTION BOARD

CLIENT :- ANUKAMPA AVAS VIKAS LLP

PROJECT :- PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR,
AJMER ROAD JAIPUR

DRAWING TYPE :-

4th & 10th FLOOR ELECTRIC
POINT MARKING PLAN

DRN. By: MAHENDRA

CHECK. By: SANJAY

DATE: 08-06-2024

SERVICES CONSULTANT:

ASHI ASSOCIATES


F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946
Mail:vipul8599@yahoo.com

ARCHITECT :-

des|gn
studio

GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS

68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2594414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com



11th FLOOR WORKING PLAN

Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

LEGENDS:				
Mounting Height	No.	I D	Symbol	Description
CEILING	42	CHI		CHANDELIER
CEILING	74	FAN		CEILING FAN
CEILING	42	HL		HANGING LIGHT
CEILING	106	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no:- SDL-15W GLD 6.5K/4K
CEILING	168	HL		HANGING LIGHT
CEILING	546	DL		CEILING LIGHT POINT
+90"	08	TL/W		Led Wall Tube Light Make:- Syska Led Cat no:- SSK-15-20W
+21"	42	FL		FOOT LIGHT MAKE CAT NO:- ACTPFWL08
CEILING		CL		COVE LIGHT POINT
As Per Furniture		WRL		WARD ROBE LIGHT
+42"	189	SB		SWITCH BOARD
+24"	84	2WSB		2 WAY SWITCH BOARD (AT BED SIDE TABLE)
+24"/+42"		6A SC		6A SOCKET ON SWITCH BOARD
+24"		6A S		6A ONE WAY SWITCH
+24"/+42"		16A S		16A POWER SWITCH
+24"/+36"	84	TEL		TELEPHONE POINT FOR BED SIDE
+24"/+36"	84	LP TEL		6 A PLUG POINT FOR TELEPHONE
+42"	42	TV		TV COAXIAL POINT
+42"	84	LP TV		6 A PLUG POINT FOR TV
+24"	84	PC		DATA JACK FOR COMPUTER POINT
+24"/+42"	84	HDMI		HDMI PORT
+24"/+36"	201	LP		6 A PLUG POINT
+42"	42	LP		6 A PLUG POINT FOR TOILET
+72"	42	LP-CHL		6 A PLUG POINT FOR CHIMNEY
+24"	42	PP		16 A POWER POINT FOR STUDY TABLE
+42"	42	PP-MIX		16 A POWER POINT FOR MIXER
+42"	42	PP-M		16 A POWER POINT FOR MINI BAR
+33"	42	PP-TK		16 A POWER POINT FOR TEA KETTLE
+78"	42	PP-WP		16 A POWER POINT FOR WATER PURIFIER
+78"	84	PP-G		16 A POWER POINT FOR GEYSER
+90"	51	PP-SAC		250W POWER POINT FOR SPLIT AC
+24"	51	AC		AC STARTER
+90"	51	SAC		SPLIT AC INDOOR UNIT
+42"	42	MDB		MAKE MY ROOM, DO NOT DISTURB & BELL PUSH
+42"	42	BZ		BLUZZER POINT
+42"	42	KT		KEY TAG FOR ROOMS
+60"	42	R DB		ROOMS MCB DISTRIBUTION BOARD

CLIENT :- ANUKAMPA AVAS VIKAS LLP

PROJECT :- PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR,
AJMER ROAD JAIPUR

DRAWING TYPE :-

11th FLOOR ELECTRIC POINT
MARKING PLAN


DRN. By: MAHENDRA


CHECK. By: SANJAY

DATE: 08-06-2024


SERVICES CONSULTANT:
ASHI ASSOCIATES
F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946
Mail:vipul8599@yahoo.com

ARCHITECT :-
graphite
des|gn studio
GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS
68, Janak Puri -1st, milwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2594414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com




CLIENT :	PROJECT:	ARCHITECTS :	NAME OF DRAWING:	DRAWN BY:	PROJECT NO. :	NORTH:	SERVICES CONSULTANT:
ANUKAMPA AVAS VIKAS LLP	PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	 GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS B8, Janak Puri -1st, Indrawala phatak, Opp. Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website: www.graphitedesignstudio.com	TYPICAL STUDIO UNIT ELECTRIC CEILING POINT DIMENSION PLAN	PAWAN SANJAY	302019ANUK00100 SCALE :	 DRAWING NO. :	VIPUL CONSULTING, F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com
				APPROVED BY: VIPUL AGARWAL	DATE : 22-02-2020	REV.: 00	ECPD-01

12 WAY SPN DB



TYPICAL STUDIO UNIT
SINGLE LINE DIAGRAM & DB SLD PLAN




VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

LEGENDS:

Mounting Height	No.	I D	Symbol	Description
IN CONDUIT		WIRE		CONTROL WIRING FOR 2 WAY LIGHT POINT
IN CONDUIT		WIRE		CONTROL WIRING FOR LIGHT POINT
IN CONDUIT		WIRE		CONTROL WIRING FOR BELL PUSH
IN CONDUIT		WIRE		CONTROL WIRING FOR MMR POINT
IN CONDUIT		WIRE		CONTROL WIRING FOR DND POINT
IN CONDUIT		WIRE		CONTROL WIRING FOR GEYSER
CEILING	01	CHI		CHANDELIER
CEILING	01	FAN		CEILING FAN
CEILING	01	HL		HANGING LIGHT
CEILING	04	HL		HANGING LIGHT
CEILING	13	DL		CEILING LIGHT POINT
+21"	01	FL		FOOT LIGHT RABTREE MAKE CAT NO.- ACTPFWL08
CEILING		CL		COVE LIGHT POINT
As Per Furniture		WRL		WARD ROBE LIGHT
+42"	04	SB		SWITCH BOARD
+24"	02	2WSB		2 WAY SWITCH BOARD (AT BED SIDE TABLE)
+24"/+42"		6A SC		6A SOCKET ON SWITCH BOARD
+24"		6A S		6A ONE WAY SWITCH
+24"/+42"		16A S		16A POWER SWITCH
+24"/+36"	02	TEL		TELEPHONE POINT FOR BED SIDE
+24"/+36"	02	LP TEL		6 A PLUG POINT FOR TELEPHONE
+42"	01	TV		TV COAXIAL POINT
+42"	02	LP TV		6 A PLUG POINT FOR TV
+24"	02	PC		DATA JACK FOR COMPUTER POINT
+24"/+42"	02	HDMI		HDMI PORT
+24"/+36"	05	LP		6 A PLUG POINT
+42"	01	LP		6 A PLUG POINT FOR TOILET
+72"	01	LP-CHI		6 A PLUG POINT FOR CHIMNEY
+24"	01	PP		16 A POWER POINT FOR STUDY TABLE
+42"	01	PP-MIX.		16 A POWER POINT FOR MIXER
+42"	01	PP-M		16 A POWER POINT FOR MINI BAR
+33"	01	PP-TK		16 A POWER POINT FOR TEA KETTLE
+78"	01	PP-WP		16 A POWER POINT FOR WATER PURIFIER
+78"	02	PP-G		16 A POWER POINT FOR GEYSER
+90"	01	PP-SAC		25POWER POINT FOR SPLIT AC
+24"	01	AC		AC STARTER
+90"	01	SAC		SPLIT AC INDOOR UNIT
+42"	01	MDB		MAKE MY ROOM, DO NOT DISTURB & BELL PUSH
+42"	01	BZ		BUZZER POINT
+42"	01	KT		KEY TAG FOR ROOMS
+60"	01	R DB		ROOMS MCB DISTRIBUTION BOARD
	02			SWITCH BOARD NO./ LIGHT CIRCUIT NO./MODULAR NO.
	04			POWER CIRCUIT NO./ MODULAR NO.
	01			AC POWER CIRCUIT NO.
				MODULAR NO.

CLIENT :	PROJECT:	ARCHITECTS :	NAME OF DRAWING:	DRAWN BY:	PROJECT NO. :	NORTH:	SERVICES CONSULTANT:
ANUKAMPA AVAS VIKAS LLP	PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	des ^{ig} n studio GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiographite@gmail.com Website : www.graphitedesignstudio.com	TYPICAL STUDIO UNIT ELECTRIC CONTROL WIRING & DB SLD PLAN	PAWAN SANJAY VIPUL AGARWAL	302019ANUK00100 SCALE : DATE : REV.:	 DRAWING NO. : ECW-02	VIPUL CONSULTING, F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com



LEGENDS:				
Mounting Height	No.	I D	Symbol	Description
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/1.5 sqmm wire for Light points
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/2.5 sqmm wire for Light Circuits
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/4.00 sqmm wire for POWER Circuits
IN RCC SLAB		CONDUIT		CCTV Rigid PVC 25mm dia. Conduit /3+1 Coaxial Wire For Security Camera (C.C.T.V.).
CEILING	13	TL/C		LED CEILING TUBE LIGHT MAKE:- SYSKA LED CAT NO.:- SSK-T5-20W
+18"	01	PP		16A POWER POINT FOR SUMP
+90"	03	CCTV		WALL MOUNTED CCTV CAMERA

TO BE
CONTINUE

Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

CLIENT :

ANUKAMPA AVAS
VIKAS LLP

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM
NAGAR, AJMER
ROAD JAIPUR

ARCHITECTS :

desig
n studio

GRAPHITE DESIGN STUDIO

ARCHITECTS, INTERIOR DESIGNERS, PLANNERS

68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2593414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com

GENERAL NOTES

1. All dimensions on this drawing are in feet and inches.
2. Only written dimensions are to be followed. Drawing should not be scaled.
3. All measurements must be checked and verified by the contractors prior to execution of work at the site.
4. This drawing is to be read in conjunction with all relevant structural, services & facility planning drawings.
5. Architectural drawings are to be followed for the location of all structural members & masonry walls. For sizes & reinforcement details of structural members, relevant structural drawings are to be referred.
6. Any discrepancies between architectural, structural and services drawings must be brought to the notice of the architects immediately & prior to execution at site.
7. Co-ordination with services such as hvac, plumbing & electrical, etc. is the responsibility of the contractors.
8. All masonry walls should be aligned with the columns as indicated on the plan, irrespective of the position as calculated with the dimensioning.
9. For details, refer relevant large scale detail drgs. as indicated.

PROJECT:

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER
ROAD JAIPUR

NORTH:



NAME OF DRAWING:

BASEMENT FLOOR LEFT SIDE PART
ELE. & LV CONDUIT PLAN

PROJECT NO. :

302019ANUK00100

DATE :

12-03-19

DRAWN BY:

PAWAN



CKD. BY:

SANJAY

DRAWING NO. :

MEP/ANKU/B.F./LSP/ELE./LV-01

THIS DRAWING IS THE PROPERTY OF GRAPHITE DESIGN STUDIO PVT. LTD., JAIPUR. IT SHALL NOT BE COPIED OR USED WITHOUT THEIR WRITTEN PERMISSION NOR MADE KNOWN TO A THIRD PARTY. THE INFORMATION IS ISSUED ON THE UNDERSTANDING THAT NO PART THEREOF SHALL BE DUPLICATED FOR THE PURPOSE OTHER THAN THE EXPRESSED PURPOSE.





LEGENDS:


Qty.	Symbol	Description
		100 MM DIA. SLEEVE

Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

CLIENT : ANUKAMPA AVAS VIKAS LLP	PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	ARCHITECTS :  GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com	GENERAL NOTES 1. All dimensions on this drawing are in feet and inches. 2. Only written dimensions are to be followed . drawing should not be scaled. 3. All measurements must be checked and verified by the contractors prior to execution of work at the site. 4. This drawing is to be read in conjunction with all relevant structural, services & facility planning drawings. 5. Architectural drawings are to be followed for the location of all structural members & masonry walls, for sizes & reinforcement details of structural members, relevant structural drawings are to be referred. 6. Any discrepancies between architectural, structural and services drawings must be brought to the notice of the architects immediately & prior to execution at site. 7. Co-ordinatio with services such as hvac, plumbing & electrical, etc. is the responsibility of the contractors. 8. All masonry walls should be aligned with the columns as indicated on the plan, irrespective of the position as calculated with the dimensioning. 9. For details, refer relevant large scale detail drgs. as indicated.	PROJECT: PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	NORTH: 
		BASEMENT FLOOR LEFT SIDE PART SPRINKLER SLEEVE PLAN	PROJECT NO. : 302019ANUK00100	DATE : 12-03-19	
			SCALE :	REV NO./DATE : R-00/	
			DRAWN BY: PAWAN	CKD. BY: SANJAY	DRAWING NO. : MEP/ANKU/B.F./LSP/SL-02
			APPROVED BY: VIPUL AGARWAL		
THIS DRAWING IS THE PROPERTY OF GRAPHITE DESIGN STUDIO PVT. LTD. , JAIPUR IT SHALL NOT BE COPIED OR USED WITHOUT THEIR WRITTEN PERMISSION NOR MADE KNOWN TO A THIRD PARTY. THE INFORMATION IS ISSUED ON THE UNDERSTANDING THAT NO PART THEREOF SHALL BE DUPLICATED FOR THE PURPOSE OTHER THAN THE EXPRESSED PURPOSE.					

LEGENDS:				
Mounting Height	No.	ID	Symbol	Description
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/1.5 sqmm wire for Light points
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/2.5 sqmm wire for Light Circuits
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/4.00 sqmm wire for POWER Circuits
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /3+1 Coaxial Wire For Security Camera (C.C.T.V.).
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/ 2X1.5 sq. mm Copper Wire for Fire Alarm
CEILING	38	TL/C		LED CEILING TUBE LIGHT MAKE:- SYSKA LED CAT NO.-: SSK-T5-20W
+90"	02	TL/W		LED WALL TUBE LIGHT MAKE:- SYSKA LED CAT NO.-: SSK-T5-20W
+18"	01	PP		16A POWER POINT FOR SUMP
+60"	01	MCBDB		MCB DISTRIBUTION BOARD
+90"	03	CCTV		WALL MOUNTED CCTV CAMERA
+42"	01	MCP		MANUAL CALL POINT
+90"	01	HT		HOOTER POINT

Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL



CLIENT :

ANUKAMPA AVAS
VIKAS LLP

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM
NAGAR, AJMER
ROAD JAIPUR

ARCHITECTS :

des **g**raphite
n
studio

GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS
68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2593414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com

GENERAL NOTES

1. All dimensions on this drawing are in feet and inches.
2. Only written dimensions are to be followed , drawing should not be scaled.
3. All measurements must be checked and verified by the contractors prior to execution of work at the site.
4. This drawing is to be read in conjunction with all relevant structural, services & facility planning drawings.
5. Architectural drawings are to be followed for the location of all structural members & masonry walls, for sizes & reinforcement details of structural members, relevant structural drawings are to be referred.
6. Any discrepancies between architectural, structural and services drawings must be brought to the notice of the architects immediately & prior to execution at site.
7. Co-ordinatio with services such as hvac, plumbing & electrical, etc. Is the responsibility of the contractors.
8. All masonry walls should be aligned with the columns as indicated on the plan, irrespective of the position as calculated with the dimensioning.
9. For details, refer relevant large scale detail drgs. as indicated.

PROJECT:

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER
ROAD JAIPUR

NAME OF DRAWING:

BASEMENT FLOOR LEFT SIDE PART
ELE. & LV CONDUIT PLAN

DRAWN BY:


VIJESH

SANJAY

APPROVED BY:

VIPUL AGARWAL

NORTH:



DATE : _____

01-04-19

SCALE :

REV NO./DATE :

R-00/

DRAWING NO. :


MEP/ANKU/B.F./LSP/ELE./LV-01



VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

LEGENDS:

Qty.	Symbol	Description
52		100 MM DIA. SLEEVE
05		150 MM DIA. SLEEVE



CLIENT :

ANUKAMPA AVAS
VIKAS LLP

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM
NAGAR, AJMER
ROAD JAIPUR

ARCHITECTS :

des **g**raphite
n
tudio

GRAPHITE DESIGN STUDIO

ARCHITECTS, INTERIOR DESIGNERS, PLANNERS

68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. : 01-2622224444, 0141-2522444

CONTACT NO. +91-9928334414,
email: studiosgraphite@gmail.com

Website : www.graphitedesignstudio.com

GENERAL NOTES

1. All dimensions on this drawing are in feet and inches.
2. Only written dimensions are to be followed , drawing should not be scaled.
3. All measurements must be checked and verified by the contractors prior to execution of work at the site.
4. This drawing is to be read in conjunction with all relevant structural, services & facility planning drawings.
5. Architectural drawings are to be followed for the location of all structural members & masonry walls, for sizes & reinforcement details of structural members, relevant structural drawings are to be referred.
6. Any discrepancies between architectural, structural and services drawings must be brought to the notice of the architects immediately & prior to execution at site.
7. Co-ordination with services such as hvac, plumbing & electrical, etc. Is the responsibility of the contractors.
8. All masonry walls should be aligned with the columns as indicated on the plan, irrespective of the position as calculated with the dimensioning.
9. For details, refer relevant large scale detail drgs. as indicated.

PROJECT:

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER
ROAD JAIPUR

NAME OF DRAWING:

BASEMENT FLOOR LEFT SIDE PART
SPRINKLER SLEEVE PLAN

DRAWN BY:

VIJESH

CKD. BY:	
----------	--

SANJAY

APPROVED BY:

VIPUL AGARWAL

	NORTH:
--	--------



PROJECT NO.:

PROJECT NO. :

302019A

100

	DRAWING NO.
--	-------------

MEP/ANKU/B.F./LSP/SL-02

THIS DRAWING IS THE PROPERTY OF GRAPHITE DESIGN STUDIO PVT. LTD. , JAIPUR IT SHALL NOT BE COPIED OR USED WITHOUT THEIR WRITTEN PERMISSION NOR MADE KNOWN TO A THIRD PARTY. THE INFORMATION IS ISSUED ON THE UNDERSTANDING THAT NO PART THEREOF SHALL BE DUPLICATED FOR THE PURPOSE OTHER THAN THE EXPRESSED PURPOSE.

SERVICES CONSULTANT:
VIPUL CONSULTING,
F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com

ARCHITECTS :
desig
GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS
68, Janak Puri -1st, Jhilmwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2593414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com

CLIENT :

ANUKAMPA AVAS
VIKAS LLP

PROJECT:

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM
NAGAR, AJMER ROAD JAIPUR

NAME OF DRAWING:

BASEMENT FLOOR
ELECTRIC CONTROL
WIRING PLAN

DRAWN BY: CKD. BY: APPROVED BY:

PAWAN SANJAY VIPUL AGARWAL

NORTH:

PROJECT NO. : DATE : REV.:-

302019ANUK00100 04-12-19 00

SCALE : DRAWING NO. :

MEP/AS/B.F/ECW-01

LEGENDS:					
Mounting Height	No.	I D	Symbol	Description	
IN CONDUIT		WIRE		Control Wiring For Light Point 1.5 sqmm Red (Phase),Black (Neutral), 1.5 sqmm Green (Earth)	
IN CONDUIT		WIRE		Control Wiring For Emergency Point 1.5 sqmm Red (Phase),Black (Neutral),1.5 sqmm Green (Earth)	
IN CONDUIT		WIRE		Light Circuit 2.5 sqmm Red (Phase),Black (Neutral),1.5 sqmm Green (Earth)	
IN CONDUIT		WIRE		Power Circuit 4.0 sqmm Red (Phase),Black (Neutral),2.5 sqmm Green (Earth)	
IN CONDUIT		WIRE		AC Circuit 4.0 sqmm Red (Phase),Black (Neutral),2.5 sqmm Green (Earth)	
CEILING	01	FB		FAN BOX	
CEILING	28	FAN/48"		CEILING FAN 48"	
CEILING	01	FAN/30"		CEILING FAN 30"	
CEILING	193	TL/C		Led Ceiling Tube Light Make:- Syska Led Cat no:- SSK-TS-20W	
+90"	34	TL/W		Led Wall Tube Light Make:- Syska Led Cat no:- SSK-TS-20W	
CEILING	71	CFL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no:- SSK-TSW GLD 6.5K/4K	
+21"	09	FL		Foot Light Rabreco Make Cat no:- ACTPFW1.08	
+42"	28	SB		SWITCH BOARD	
+18"	04	FP		16 A POWER POINT FOR SUMP	
+60"	05	MCB DB		MCB DISTRIBUTION BOARD	
	08			DB NO. EMERGENCY LIGHT CIRCUIT NO.	
	22			DB NO. SWITCH BOARD NO./ LIGHT CIRCUIT NO./MODULAR NO.	
	04			DB NO./POWER CIRCUIT NO./ MODULAR NO.	
	59			EMERGENCY LIGHT POINT	

VIPUL
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

4 WAY TPN DB-1
LIGHT CIRCUIT-06
POWER CIRCUIT-02
EMERGENCY CIRCUIT-02
TOTAL CIRCUIT-10

EXPENSIN JOINT

MCBDB-1

MCBDB-2

MCBDB-3

MCBDB-4

MCBDB-5

6 WAY TPN DB-5
LIGHT CIRCUIT-08
POWER CIRCUIT-02
EMERGENCY CIRCUIT-03
TOTAL CIRCUIT-13

4 WAY TPN DB-4
LIGHT CIRCUIT-06
EMERGENCY CIRCUIT-02
TOTAL CIRCUIT-08

DB1/P1 3M

DB1/L1 3M

DB1/L2 3M

DB1/L3 3M

DB1/L4 3M

DB1/L5 3M

DB1/L6 3M

DB1/L7 3M

DB1/L8 3M

DB1/L9 3M

DB1/L10 3M

DB1/L11 3M

DB1/L12 3M

DB1/L13 3M

DB1/L14 3M

DB1/L15 3M

DB1/L16 3M

DB1/L17 3M

DB1/L18 3M

DB1/L19 3M

DB1/L20 3M

DB1/L21 3M

DB1/L22 3M

DB1/L23 3M

DB1/L24 3M

DB1/L25 3M

DB1/L26 3M

DB1/L27 3M

DB1/L28 3M

DB1/L29 3M

DB1/L30 3M

DB1/L31 3M

DB1/L32 3M

DB1/L33 3M

DB1/L34 3M

DB1/L35 3M

DB1/L36 3M

DB1/L37 3M

DB1/L38 3M

DB1/L39 3M

DB1/L40 3M

DB1/L41 3M

DB1/L42 3M

DB1/L43 3M

DB1/L44 3M

DB1/L45 3M

DB1/L46 3M

DB1/L47 3M

DB1/L48 3M

DB1/L49 3M

DB1/L50 3M

DB1/L51 3M

DB1/L52 3M

DB1/L53 3M

DB1/L54 3M

DB1/L55 3M

DB1/L56 3M

DB1/L57 3M

DB1/L58 3M

DB1/L59 3M

DB1/L60 3M

DB1/L61 3M

DB1/L62 3M

DB1/L63 3M

DB1/L64 3M

DB1/L65 3M

DB1/L66 3M

DB1/L67 3M

DB1/L68 3M

DB1/L69 3M

DB1/L70 3M

DB1/L71 3M

DB1/L72 3M

DB1/L73 3M

DB1/L74 3M

DB1/L75 3M

DB1/L76 3M

DB1/L77 3M

DB1/L78 3M

DB1/L79 3M

DB1/L80 3M

DB1/L81 3M

DB1/L82 3M

DB1/L83 3M

DB1/L84 3M

DB1/L85 3M

DB1/L86 3M

DB1/L87 3M

DB1/L88 3M

DB1/L89 3M

DB1/L90 3M

DB1/L91 3M

DB1/L92 3M

DB1/L93 3M

DB1/L94 3M

DB1/L95 3M

DB1/L96 3M

DB1/L97 3M

DB1/L98 3M

DB1/L99 3M

DB1/L100 3M

DB1/L101 3M

DB1/L102 3M

DB1/L103 3M

DB1/L104 3M

DB1/L105 3M

DB1/L106 3M

DB1/L107 3M

DB1/L108 3M

DB1/L109 3M

DB1/L110 3M

DB1/L111 3M

DB1/L112 3M

DB1/L113 3M

DB1/L114 3M

DB1/L115 3M

DB1/L116 3M

DB1/L117 3M

DB1/L118 3M

DB1/L119 3M

DB1/L120 3M

DB1/L121 3M

DB1/L122 3M

DB1/L123 3M

DB1/L124 3M

DB1/L125 3M

DB1/L126 3M

DB1/L127 3M

DB1/L128 3M

DB1/L129 3M

DB1/L130 3M

DB1/L131 3M

DB1/L132 3M

DB1/L133 3M

DB1/L134 3M

DB1/L135 3M

DB1/L136 3M

DB1/L137 3M

DB1/L138 3M

DB1/L139 3M

DB1/L140 3M

DB1/L141 3M

DB1/L142 3M

DB1/L143 3M

DB1/L144 3M

DB1/L145 3M

DB1/L146 3M

DB1/L147 3M

DB1/L148 3M

DB1/L149 3M

DB1/L150 3M

DB1/L151 3M

DB1/L152 3M

DB1/L153 3M

DB1/L154 3M

DB1/L155 3M

DB1/L156 3M

DB1/L157 3M

DB1/L158 3M

DB1/L159 3M

DB1/L160 3M

DB1/L161 3M

DB1/L162 3M

DB1/L163 3M

DB1/L164 3M

DB1/L165 3M

DB1/L166 3M

DB1/L167 3M

DB1/L168 3M

DB1/L169 3M

DB1/L170 3M

DB1/L171 3M

DB1/L172 3M

DB1/L173 3M

DB1/L174 3M

DB1/L175 3M

DB1/L176 3M

DB1/L177 3M

DB1/L178 3M

DB1/L179 3M

DB1/L180 3M

DB1/L181 3M

DB1/L182 3M

DB1/L183 3M

DB1/L184 3M

DB1/L185 3M

DB1/L186 3M

DB1/L187 3M

DB1/L188 3M

DB1/L189 3M

DB1/L190 3M

DB1/L191 3M

DB1/L192 3M

DB1/L193 3M

DB1/L194 3M

DB1/L195 3M

DB1/L196 3M

DB1/L197 3M

DB1/L198 3M

DB1/L199 3M

DB1/L200 3M

DB1/L201 3M

DB1/L202 3M

DB1/L203 3M

DB1/L204 3M

DB1/L205 3M

DB1/L206 3M

DB1/L207 3M

DB1/L208 3M

DB1/L209 3M

DB1/L210 3M

DB1/L211 3M

DB1/L212 3M

DB1/L213 3M

DB1/L214 3M

DB1/L215 3M

DB1/L216 3M

DB1/L217 3M

DB1/L218 3M

DB1/L219 3M

DB1/L220 3M

DB1/L221 3M

DB1/L222 3M

DB1/L223 3M

DB1/L224 3M

DB1/L225 3M

DB1/L226 3M

DB1/L227 3M

DB1/L228 3M

DB1/L229 3M

DB1/L230 3M

DB1/L231 3M

DB1/L232 3M

DB1/L233 3M

DB1/L234 3M

DB1/L235 3M

DB1/L236 3M

DB1/L237 3M

DB1/L238 3M

DB1/L239 3M

DB1/L240 3M

DB1/L241 3M

DB1/L242 3M

DB1/L243 3M

DB1/L244 3M

DB1/L245 3M

DB1/L246 3M

DB1/L247 3M

DB1/L248 3M

DB1/L249 3M

DB1/L250 3M

DB1/L251 3M

DB1/L252 3M

DB1/L253 3M

DB1/L254 3M

DB1/L255 3M

DB1/L256 3M

DB1/L257 3M

DB1/L258 3M

DB1/L259 3M

DB1/L260 3M

DB1/L261 3M

DB1/L262 3M

DB1/L263 3M

DB1/L264 3M

DB1/L265 3M

DB1/L266 3M

DB1/L267 3M

DB1/L268 3M

DB1/L269 3M

DB1/L270 3M

DB1/L271 3M

DB1/L272 3M

DB1/L273 3M

DB1/L274 3M

DB1/L275 3M

DB1/L276 3M

DB1/L277 3M

DB1/L278 3M

DB1/L279 3M

DB1/L280 3M

DB1/L281 3M

DB1/L282 3M

DB1/L283 3M

DB1/L284 3M

DB1/L285 3M

DB1/L286 3M

DB1/L287 3M

DB1/L288 3M

DB1/L289 3M

DB1/L290 3M

DB1/L291 3M

DB1/L292 3M

DB1/L293 3M

DB1/L294 3M

DB1/L295 3M

DB1/L296 3M

DB1/L297 3M

DB1/L298 3M

DB1/L299 3M

DB1/L300 3M

DB1/L301 3M

DB1/L302 3M

DB1/L303 3M

DB1/L304 3M

DB1/L305 3M

DB1/L306 3M

DB1/L307 3M

DB1/L308 3M

DB1/L309 3M

DB1/L310 3M

DB1/L311 3M

DB1/L312 3M

DB1/L313 3M

DB1/L314 3M

DB1/L315 3M

DB1/L316 3M

DB1/L317 3M

DB1/L318 3M

DB1/L319 3M

DB1/L320 3M

DB1/L321 3M

DB1/L322 3M

DB1/L323 3M

DB1/L324 3M

DB1/L325 3M

DB1/L326 3M

DB1/L327 3M

DB1/L328 3M

DB1/L329 3M

DB1/L330 3M

DB1/L331 3M

DB1/L332 3M

DB1/L333 3M

DB1/L334 3M

DB1/L335 3M

DB1/L336 3M

DB1/L337 3M

DB1/L338 3M

DB1/L339 3M

DB1/L340 3M

DB1/L341 3M

DB1/L342 3M

DB1/L343 3M

DB1/L344 3M

DB1/L345 3M

DB1/L346 3M

DB1/L347 3M

DB1/L348 3M

DB1/L349 3M

DB1/L350 3M

DB1/L351 3M

DB1/L352 3M

DB1/L353 3M

DB1/L354 3M

DB1/L355 3M

DB1/L356 3M

DB1/L357 3M

DB1/L358 3M

DB1/L359 3M

DB1/L360 3M

DB1/L361 3M

DB1/L362 3M

DB1/L363 3M

DB1/L364 3M

DB1/L365 3M

DB1/L366 3M

DB1/L367 3M

DB1/L368 3M

DB1/L369 3M

DB1/L370 3M

DB1/L371 3M

DB1/L372 3M

DB1/L373 3M

DB1/L374 3M

DB1/L375 3M

DB1/L376 3M

DB1/L377 3M

DB1/L378 3M

DB1/L379 3M

DB1/L380 3M

DB1/L381 3M

DB1/L382 3M

DB1/L383 3M

DB1/L384 3M

DB1/L385 3M

DB1/L386 3M

DB1/L387 3M

DB1/L388 3M

DB1/L389 3M

DB1/L390 3M

DB1/L391 3M

DB1/L392 3M

DB1/L393 3M

DB1/L394 3M

DB1/L395 3M

DB1/L396 3M

DB1/L397 3M

DB1/L398 3M

DB1/L399 3M

DB1/L400 3M

DB1/L401 3M

DB1/L402 3M

DB1/L403 3M

DB1/L404 3M

DB1/L405 3M

DB1/L406 3M

DB1/L407 3M

DB1/L408 3M

DB1/L409 3M

DB1/L410 3M

DB1/L411 3M

DB1/L412 3M

DB1/L413 3M

DB1/L414 3M

DB1/L415 3M

DB1/L416 3M

DB1/L417 3M

DB1/L418 3M

DB1/L419 3M

DB1/L420 3M

DB1/L421 3M

DB1/L422 3M

DB1/L423 3M

DB1/L424 3M

DB1/L425 3M

DB1/L426 3M

DB1/L427 3M

DB1/L428 3M

DB1/L429 3M

DB1/L430 3M

DB1/L431 3M

DB1/L432 3M

DB1/L433 3M

DB1/L434 3M

DB1/L435 3M

DB1/L436 3M

DB1/L437 3M

DB1/L438 3M

DB1/L439 3M

DB1/L440 3M

DB1/L441 3M

DB1/L442 3M

DB1/L443 3M

DB1/L444 3M

DB1/L445 3M

DB1/L446 3M

DB1/L447 3M

DB1/L448 3M

DB1/L449 3M

DB1/L450 3M

DB1/L451 3M

DB1/L452 3M

DB1/L453 3M

DB1/L454 3M

DB1/L455 3M

DB1/L456 3M

DB1/L457 3M

DB1/L458 3M

DB1/L459 3M

DB1/L460 3M

DB1/L461 3M

DB1/L462 3M

DB1/L463 3M

DB1/L464 3M

DB1/L465 3M

DB1/L466 3M

DB1/L467 3M

DB1/L468 3M

DB1/L469 3M

DB1/L470 3M

DB1/L471 3M

DB1/L472 3M

DB1/L473 3M

DB1/L474 3M

DB1/L475 3M

DB1/L476 3M

DB1/L477 3M

DB1/L478 3M

DB1/L479 3M

DB1/L480 3M

DB1/L481 3M

DB1/L482 3M

DB1/L483 3M

DB1/L484 3M

DB1/L485 3M

DB1/L486 3M

DB1/L487 3M

DB1/L488 3M

DB1/L489 3M

DB1/L490 3M

DB1/L491 3M

DB1/L492 3M

DB1/L493 3M

DB1/L494 3M

DB1/L495 3M

DB1/L496 3M

DB1/L497 3M

DB1/L498 3M

DB1/L499 3M

DB1/L500 3M

DB1/L501 3M

DB1/L502 3M

DB1/L503 3M

DB1/L504 3M

DB1/L505 3M

DB1/L506 3M

DB1/L507 3M

DB1/L508 3M

DB1/L509 3M

DB1/L510 3M

DB1/L511 3M

DB1/L512 3M

DB1/L513 3M

DB1/L514 3M

DB1/L515 3M

DB1/L516 3M

DB1/L517 3M

DB1/L518 3M

DB1/L519 3M

DB1/L520 3M

DB1/L521 3M

DB1/L522 3M

DB1/L523 3M

DB1/L524 3M

DB1/L525 3M

DB1/L526 3M

DB1/L527 3M

DB1/L528 3M

DB1/L529 3M

DB1/L530 3M

DB1/L531 3M

DB1/L532 3M

DB1/L533 3M

DB1/L534 3M

DB1/L535 3M

DB1/L536 3M

DB1/L537 3M

DB1/L538 3M

DB1/L539 3M

DB1/L540 3M

DB1/L541 3M

DB1/L542 3M

DB1/L543 3M

DB1/L544 3M

DB1/L545 3M

DB1/L546 3M

DB1/L547 3M

DB1/L548 3M

DB1/L549 3M

DB1/L550 3M

DB1/L551 3M

DB1/L552 3M

DB1/L553 3M

DB1/L554 3M

DB1/L555 3M

DB1/L556 3M

DB1/L557 3M

DB1/L558 3M

DB1/L559 3M

DB1/L560 3M

DB1/L561 3M

DB1/L562 3M

DB1/L563 3M

DB1/L564 3M

DB1/L565 3M

DB1/L566 3M

DB1/L567 3M

DB1/L568 3M

DB1/L569 3M

DB1/L570 3M

DB1/L571 3M

DB1/L572 3M

DB1/L573 3M

DB1/L574 3M

DB1/L575 3M

DB1/L576 3M

DB1/L577 3M

DB1/L578 3M

DB1/L579 3M

DB1/L580 3M

DB1/L581 3M

DB1/L582 3M

DB1/L583 3M

DB1/L584 3M

DB1/L585 3M

DB1/L586 3M

DB1/L587 3M

DB1/L588 3M

DB1/L589 3M

DB1/L590 3M

DB1/L591 3M

DB1/L592 3M

DB1/L593 3M

DB1/L594 3M

DB1/L595 3M

DB1/L596 3M

DB1/L597 3M

DB1/L598 3M

DB1/L599 3M

DB1/L600 3M

DB1/L601 3M

DB1/L602 3M

DB1/L603 3M

DB1/L604 3M

DB1/L605 3M

DB1/L606 3M

DB1/L607 3M

DB1/L608 3M

DB1/L609 3M

DB1/L610 3M

DB1/L611 3M

DB1/L612 3M

DB1/L613 3M

DB1/L614 3M

DB1/L615 3M

DB1/L616 3M

DB1/L617 3M

DB1/L618 3M

DB1/L619 3M

DB1/L620 3M

DB1/L621 3M

DB1/L622 3M

DB1/L623 3M

DB1/L624 3M

DB1/L625 3M

DB1/L626 3M

DB1/L627 3M

DB1/L628 3M

DB1/L629 3M

DB1/L630 3M

DB1/L631 3M

DB1/L632 3M

DB1/L633 3M

DB1/L634 3M

DB1/L635 3M

DB1/L636 3M

DB1/L637 3M

DB1/L638 3M

DB1/L639 3M

DB1/L640 3M

DB1/L641 3M

DB1/L642 3M

DB1/L643 3M

DB1/L644 3M

DB1/L645 3M

DB1/L646 3M

DB1/L647 3M

DB1/L648 3M

DB1/L649 3M

DB1/L650 3M

DB1/L651 3M

DB1/L652 3M

DB1/L653 3M

DB1/L654 3M

DB1/L655 3M

DB1/L656 3M

DB1/L657 3M

DB1/L658 3M

DB1/L659 3M

DB1/L660 3M

DB1/L661 3M

DB1/L662 3M

DB1/L663 3M

DB1/L664 3M

DB1/L665 3M

DB1/L666 3M

DB1/L667 3M

DB1/L668 3M

DB1/L669 3M

DB1/L670 3M

DB1/L671 3M

DB1/L672 3M

DB1/L673 3M

DB1/L674 3M

DB1/L675 3M

DB1/L676 3M

DB1/L677 3M

DB1/L678 3M

DB1/L679 3M

DB1/L680 3M

DB1/L681 3M

DB1/L682 3M

DB1/L683 3M

DB1/L684 3M

DB1/L685 3M

DB1/L686 3M

DB1/L687 3M

DB1/L688 3M

DB1/L689 3M

DB1/L690 3M

DB1/L691 3M

DB1/L692 3M

DB1/L693 3M

DB1/L694 3M

DB1/L695 3M

DB1/L696 3M

DB1/L697 3M

DB1/L698 3M

DB1/L699 3M

DB1/L700 3M

DB1/L701 3M

DB1/L702 3M

DB1/L703 3M

DB1/L704 3M

DB1/L705 3M

DB1/L706 3M

DB1/L707 3M

DB1/L708 3M


DB1/L709 3M

DB1/L710 3M

DB1/L711 3M

DB1/L712 3M


DB1/L



LEGENDS:				
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /1.5 sqmm Wire For Light Points
CEILING	10	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no.:- SDL-15W GLD 6.5K/4K

VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

LEGENDS:	
Symbol	Description
	6" Dia PVC SLEEVE IN BEAM FOR ELECTRIC CABLE -3" BELOW SLAB BOTTOM LVL
	4" Dia PVC SLEEVE IN BEAM FOR ELECTRIC CABLE -3" BELOW SLAB BOTTOM LVL
	2" Dia PVC SLEEVE IN BEAM FOR ELECTRIC CABLE -3" BELOW SLAB BOTTOM LVL
	4" Dia PVC SLEEVE IN BEAM FOR LV CABLE -3" BELOW SLAB BOTTOM LVL
	2" Dia PVC SLEEVE IN BEAM FOR LV CABLE -3" BELOW SLAB BOTTOM LVL
	6" Dia PVC SLEEVE IN BEAM FOR SPRINKLER PIPE -4" BELOW SLAB BOTTOM LVL
	4" Dia PVC SLEEVE IN BEAM FOR SPRINKLER PIPE -4" BELOW SLAB BOTTOM LVL
	6" Dia PVC SLEEVE IN BEAM FOR DRAINAGE PIPE -4" BELOW SLAB BOTTOM LVL
SERVICES CONS.:-	
ASHI ASSOCIATES F 9/440, Keshav Marg, Chitrakoot Scheme, Ajmer Road, Jaipur TEL:-+91-141-2440946,M:+91-9314610438 email : vipul8599@yahoo.com	
ARCHITECTS :	
des ign studio GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com	
CLIENT :	
ANUKAMPA AVAS VIKAS LLP	
PROJECT:	
PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	
NAME OF DRAWING:	
(GRID NO:- V-29 TO V-44) BLOCK-B FIRST FLOOR ELECTRIC CONDUIT & ROOF SERVICES SLEEVE PLAN	
DRAWN BY:	CKD. BY:
RAJENDER	SANJAY
APPROVED BY:	
VIPUL AGARWAL	
NORTH:	
PROJECT NO. :	DATE :
302019ANUK00100	04-10-2019
SCALE :	REV:-
	00
DRAWING NO. :	
MEP/AS/B/1.F/V-29TOV-44/SL.-01	



Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL


LEGENDS:				
Mounting Height	No.	I D	Symbol	Description
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /1.5 sqmm Wire For Light Points
CEILING	25	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no.:- SDL-15W GLD 6.5K/4K

LEGENDS:		
Qty.	Symbol	Description
02		6" Dia PVC SLEEVE IN BEAM FOR SPRINKLER PIPE -4" BELOW SLAB BOTTOM LVL
07		4" Dia PVC SLEEVE IN BEAM FOR SPRINKLER PIPE -4" BELOW SLAB BOTTOM LVL
12		6" Dia PVC SLEEVE IN BEAM FOR AC PIPE -4" BELOW SLAB BOTTOM LVL


SERVICES CONSULTANT: VIPUL CONSULTING, F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com		
ARCHITECTS : GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com		
CLIENT : ANUKAMPA AVAS VIKAS LLP		
PROJECT: PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR		
NAME OF DRAWING: (GRID NO:- V-43 TO V-51A) BLOCK-C UPPER GROUND FLOOR ROOF AC & SPRINKLER SLEEVE & ELECTRIC CONDUIT PLAN		
DRAWN BY: VIJESH	CKD. BY: SANJAY	APPROVED BY: VIPUL AGARWAL
NORTH: 		
PROJECT NO. : 302019ANUK00100	DATE : 06-02-2020	REV.:- 00
SCALE :		DRAWING NO. : MEP/AS/U.G.F./C/SL-01

Mounting Height	No.	I D	Symbol	Description
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /1.5 sqmm Wire For Light Points
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /2.5 sqmm Wire For Light Circuits
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit / 4.00 sqmm Wire For Power Circuits
IN RCC SLAB		CONDUIT		Submain Wire to DB From Main Panel on Ground Floor in 1 nos. 32 mm dia Conduits
CEILING	84	FAN/48"		CEILING FAN 48"
+90"	73	TL/W		Led Wall Tube Light Make:- Syska Led Cat no.- SSK-T5-20W
+90"	09	GL		WALL BRACKETS AS DESIGN FOR GANESH LIGHT
CEILING	126	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no.-: SDL-15W GLD 6.5K/4K
+18"	09	SET		1Nos. 6A Socket Controlled by 1No. 6A Switch ,1Nos. 16A 5Pin Socket Controlled by 1No. 16A Switch, 1No.Telephone jack & 1No. TV Coaxial Jack
+42"	27	SB		SWITCH BOARD
+60"	09	MCB DB		MCB DISTRIBUTION BOARD

F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com



LEGENDS:				
Mounting Height	No.	ID	Symbol	Description
IN CONDUIT		WIRE		Control Wiring For Light Point 1.5 sqmm Red [Phase],Black [Neutral], 1.5 sqmm Green [Earth]
IN CONDUIT		WIRE		Control Wiring For Emergency Point 1.5 sqmm Red [Phase],Black [Neutral], 1.5 sqmm Green [Earth]
IN CONDUIT		WIRE		Light Circuit 2.5 sqmm Red [Phase],Black [Neutral], 1.5 sqmm Green [Earth]
IN CONDUIT		WIRE		Power Circuit 4.0 sqmm Red [Phase],Black [Neutral], 2.5 sqmm Green [Earth]
IN CONDUIT		WIRE		AC Circuit 4.0 sqmm Red [Phase],Black [Neutral], 2.5 sqmm Green [Earth]
CEILING	241	CL		CONCEALED LIGHT POINT
CEILING	01	CHI		CHANDELIER
+42"	02	SB		SWITCH BOARD
ABOVE FALSE CEILING	16	PP		16 A POWER POINT
+60"	01	LDB		LIGHT DISTRIBUTION BOARD 4WAY TPN LIGHT DB
+60"	01	EDB		EMERGENCY LIGHT DISTRIBUTION BOARD 4WAY TPN EMERGENCY LIGHT DB
+60"	01	ACDB		AC DISTRIBUTION BOARD 6WAY TPN AC DB
	11			LIGHT DB/ SWITCH BOARD NO./ LIGHT CIRCUIT NO./MODULAR NO.
	10			EMERGENCY LIGHT DB/ EMERGENCY LIGHT CIRCUIT NO.
	16			AC DB/ AC CIRCUIT NO.
	106			EMERGENCY LIGHT POINT
SERVICES CONSULTANT: VIPUL CONSULTING, F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com				




CLIENT :	PROJECT:	ARCHITECTS :	NAME OF DRAWING:	DRAWN BY:	PROJECT NO. :	NORTH:	
ANUKAMPA AVAS VIKAS LLP	PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	 GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com	LOWER GROUND FLOOR COMMON AREAS ELECTRIC CONTROL WIRING PLAN	PAWAN	302019ANUK00100		
				CKD. BY:	SCALE :		
				APPROVED BY:	DATE :	REV.:	DRAWING NO. :
				VIPUL AGARWAL	26-11-19	00	MEP/AS/L.F.G./ECW.-02

LEGENDS:

Mounting Height	No.	I D	Symbol	Description
IN CONDUIT		WIRE		Control Wiring For Light Point 1.5 sqmm Red [Phase],Black [Neutral], 1.5 sqmm Green [Earth]
IN CONDUIT		WIRE		Light Circuit 2.5 sqmm Red [Phase],Black [Neutral],1.5 sqmm Green [Earth]
IN CONDUIT		WIRE		Power Circuit 4.0 sqmm Red [Phase],Black [Neutral],2.5 sqmm Green [Earth]
CEILING	228	CL		CONCEALED LIGHT POINT
+42"	73	SB		SWITCH BOARD

SERVICES CONSULTANT:
VIPUL CONSULTING,
F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946
Mail:vipul8599@yahoo.com

NOTE:- ALL KIOSK & SHOPS 6MODULAR
SWITCH BOARD REQUIRED




LEGENDS:


Mounting Height	No.	I D	Symbol	Description
IN CABLE TRAY			TV	RG6 CABLE FOR TV WIRING
IN CABLE TRAY			TEL	0.5MM 2 PAIR WIRE FOR TEL WIRING
IN CABLE TRAY				MCBDB ELECTRIC CABLE
IN CABLE TRAY			CCTV	3+1 COAXIAL WIRE FOR SECURITY CAMERA (C.C.T.V.)
+18"	73	SET		1No.Telephone Jack, 1No. TV Coaxial Jack, 1Nos. 6A Socket Controlled by 1No. 6A Switch & 1Nos. 16A 5Pin Socket Controlled by 1No. 16A Switch
+60"	73	MCB DB		MCB DISTRIBUTION BOARD
CEILING	11	CCTV		CEILING CCTV CAMERA


SERVICES CONSULTANT:
VIPUL CONSULTING,
F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946
Mail:vipul8599@yahoo.com

LEGENDS:

Mounting Height	Symbol	Description
CEILING		CEILING SUSPENDED ELECTRIC CABLE TRAY WIDE:-18"
CEILING		CEILING SUSPENDED ELECTRIC CABLE TRAY WIDE:-12"
CEILING		CEILING SUSPENDED ELECTRIC CABLE TRAY WIDE:-9"
CEILING		CEILING SUSPENDED LV CABLE TRAY WIDE:-18"
CEILING		CEILING SUSPENDED LV CABLE TRAY WIDE:-15"
CEILING		CEILING SUSPENDED LV CABLE TRAY WIDE:-12"
CEILING		CEILING SUSPENDED LV CABLE TRAY WIDE:-9"



CLIENT :	PROJECT:	ARCHITECTS :	NAME OF DRAWING:	DRAWN BY:	PROJECT NO. :	NORTH:
ANUKAMPA AVAS VIKAS LLP	PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	des^{ign}graphite studio GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com	LOWER GROUND FLOOR CCTV, TV, TELEPHONE, DB CABLE & CABLE TRAY PLAN	PAWAN	302019ANUK00100	
				CKD. BY:	SCALE :	DRAWING NO. :
				SANJAY		
				APPROVED BY:	DATE :	REV.:
				VIPUL AGARWAL	26-11-19	00
						MEP/AS/L.F.G./CT-06




LEGENDS:				
Mounting Height	No.	1 D	Symbol	Description
IN FLOOR		CONDUIT		Rigid PVC 25mm dia. Conduit / 1.5 sqmm Wire For Light Points
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit / 1.5 sqmm Wire For Light Points
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit / 2.5 sqmm Wire For Light Circuits
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit / 4.00 sqmm Wire For Power Circuits
IN RCC SLAB		CONDUIT		Submain Wire to DB From Main Panel on Ground Floor in 1 nos. 32 mm dia Conduits
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit / 3+1 Coaxial Wire For Security Camera (C.C.T.V.).
IN RCC SLAB		CONDUIT		Rigid PVC Conduit 25mm/ 2X1.5 sq. mm Copper Wire for Fire Alarm
CEILING	23	FAN/48"		CEILING FAN 48"
CEILING	10	FB		FAN BOX
CEILING	118	TL/C		LED CEILING TUBE LIGHT MAKE:- SYSKA LED CAT NO.:- SSK-TS-20W
+90"	31	TL/W		Led Wall Tube Light Make:- Syska Led Cat no.- SSK-TS-20W
CEILING	66	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no.:- SDL-15W GLD 6.5K/4K
+42"	28	SB		SWITCH BOARD
+18"	09	FL		FOOT LIGHT
+60"	04	MCB DB		MCB DISTRIBUTION BOARD
+90"	03	CCTV		WALL MOUNTED CCTV CAMERA

Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL

CLIENT :		ARCHITECTS :		PROJECT:		NORTH:	
ANUKAMPA AVAS VIKAS LLP		des g n studio GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com		PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR			
PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR		SERVICES CONSULTANT: VIPUL CONSULTING, F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com DATE:-30-04-2019		NAME OF DRAWING: BASEMENT FLOOR RIGHT SIDE PART ELE. & LV CONDUIT PLAN		PROJECT NO. : 302019ANUK00100	DATE : 30-04-2019
				DRAWN BY: RAJENDER	CKD. BY: SANJAY	SCALE :	REV NO./DATE : R-00/
				APPROVED BY: VIPUL AGARWAL		DRAWING NO. : MEP/ANKU/B.F./LSP/ELE./LV-01	

THIS DRAWING IS THE PROPERTY OF GRAPHITE DESIGN STUDIO PVT. LTD. , JAIPUR IT SHALL NOT BE COPIED OR USED WITHOUT THEIR WRITTEN PERMISSION NOR MADE KNOWN TO A THIRD PARTY. THE INFORMATION IS ISSUED ON THE UNDERSTANDING THAT NO PART THEREOF SHALL BE DUPLICATED FOR THE PURPOSE OTHER THAN THE EXPRESSED PURPOSE.




Typical Section of Sleeve
in Beam for Sprinkler Pipe/ Lvl
-4" below roof bottom

LEGENDS:

Qty.	Symbol	Description
53		100 MM DIA. SLEEVE
05		150 MM DIA. SLEEVE

Vipul
VIPUL AGARWAL
M.E.P. CONSULTANT
B.E. ELECTRICAL



CLIENT :

ANUKAMPA AVAS
VIKAS LLP

PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM
NAGAR, AJMER
ROAD JAIPUR

ARCHITECTS :

desig
n studio

GRAPHITE DESIGN STUDIO
ARCHITECTS, INTERIOR DESIGNERS, PLANNERS
68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur
CONTACT NO. +91-9928334414, 0141-2593414
email: studiosgraphite@gmail.com
Website : www.graphitedesignstudio.com

SERVICES CONSULTANT:
VIPUL CONSULTING,

F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com
DATE:-30-04-2019

PROJECT: PROPOSED MIX USE BUILDING
PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER
ROAD JAIPUR

NAME OF DRAWING:
BASEMENT FLOOR RIGHT SIDE PART
SPRINKLER SLEEVE PLAN

DRAWN BY:


RAJENDER

CKD. BY:

SANJAY

APPROVED BY:
VIPUL AGARWAL

NORTH:



PROJECT NO. :

302019ANUK00100

SCALE :

DATE :

30-04-2019

REV NO./DATE :

R-00/

DRAWING NO. :


MEP/ANKU/B.F./LSP/ELE./LV-01

THIS DRAWING IS THE PROPERTY OF GRAPHITE DESIGN STUDIO PVT. LTD., JAIPUR. IT SHALL NOT BE COPIED OR USED WITHOUT THEIR WRITTEN PERMISSION NOR MADE KNOWN TO A THIRD PARTY. THE INFORMATION IS ISSUED ON THE UNDERSTANDING THAT NO PART THEREOF SHALL BE DUPLICATED FOR THE PURPOSE OTHER THAN THE EXPRESSED PURPOSE.

LEGENDS:

Mounting Height	No.	I D	Symbol	Description
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /1.5 sqmm Wire For Light Points
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit /2.5 sqmm Wire For Light Circuits
IN RCC SLAB		CONDUIT		Rigid PVC 25mm dia. Conduit / 4.00 sqmm Wire For Power Circuits
IN RCC SLAB		CONDUIT		Submain Wire to DB From Main Panel on Ground Floor in 1 nos. 32 mm dia Conduits
CEILING	84	FAN/48"		CEILING FAN 48"
+90"	73	TL/W		Led Wall Tube Light Make:- Syska Led Cat no.- SSK-T5-20W
+90"	09	GL		WALL BRACKETS AS DESIGN FOR GANESH LIGHT
CEILING	126	DL		Led 6" Down Lighter 20W (Surface Mounted) Make:- Syska Led Cat no:- SDL-15W GLD 6.5K/4K
+18"	09	SET		1Nos. 6A Socket Controlled by 1No. 6A Switch ,1Nos. 16A 5Pin Socket Controlled by 1No. 16A Switch, 1No.Telephone jack & 1No. TV Coaxial Jack
+42"	27	SB		SWITCH BOARD
+60"	09	MCB DB		MCB DISTRIBUTION BOARD

SERVICES CONSULTANT:
VIPUL CONSULTING,
F 9 / 440 , Keshav Marg Chitrakut Scheme,Jaipur
PH:91-0-93146-10438 ,0141-2440946 Mail:vipul8599@yahoo.com



CLIENT :	PROJECT:	ARCHITECTS :	NAME OF DRAWING:	DRAWN BY:	PROJECT NO. :	NORTH:
ANUKAMPA AVAS VIKAS LLP	PROPOSED MIX USE BUILDING PLOT NO. S-01, NEAR SHYAM NAGAR, AJMER ROAD JAIPUR	 GRAPHITE DESIGN STUDIO ARCHITECTS, INTERIOR DESIGNERS, PLANNERS 68, Janak Puri -1st, Imliwala phatak, Opp Jain Mandir, Jaipur CONTACT NO. +91-9928334414, 0141-2593414 email: studiosgraphite@gmail.com Website : www.graphitedesignstudio.com	UPPER GROUND FLOOR (GRID NO:- V-14 TO V44) ELECTRIC CONDUIT PLAN	PAWAN	302019ANUK00100	
				CKD. BY:	SCALE :	DRAWING NO. :
				SANJAY	DATE :	REV.:
				APPROVED BY:	02-07-19	00
				VIPUL AGARWAL		MEP/AS/U.F.G./ELE.-01