



PLUMBING LEGEND		
TAG NO.	DESCRIPTION	
①	110 (OD) uPVC SOIL VERTICAL & VENT PIPE	
②	110 (OD) uPVC WASTE VERTICAL & VENT PIPE	
③	75 (OD) uPVC ANTI SYPHONAGE PIPE	
④	COLD WATER SUPPLY PIPE (HYDROPUNNETIC SYSTEM)	
④A	COLD WATER SUPPLY PIPE PIPE FROM O.H. TANK	
⑤	FLUSHING WATER SUPPLY PIPE FROM O.H. TANK	
⑥	HOT WATER SUPPLY PIPE FROM HW GENERATOR SYSTEM	
⑦	HOT WATER RETURN PIPE TO HW GENERATOR SYSTEM	
⑧	TOILET EXHAUST DUCT SIZE = 200 X 150MM	
⑨	AC REFRIGERANT PIPE	
⑩	110 (OD) uPVC KITCHEN WASTE VERTICAL & VENT PIPE	
⑪	160 (OD) uPVC KITCHEN WASTE VERTICAL & VENT PIPE	
⑫	110 (OD) uPVC RAIN WATER VERTICAL PIPE	
⑬	160 (OD) uPVC RAIN WATER VERTICAL PIPE	
⑭	160 (OD) uPVC SWIMMING POOL DRAIN VERTICAL PIPE	
⑮	400 PIPE FOR FIRE & DOMESTIC WATER O.H. TANK FILL	
⑯	400 PIPE FOR FLUSHING WATER O.H. TANK FILL	
⑰	160 (OD) uPVC SOIL VERTICAL & VENT PIPE	
⑱	160 (OD) uPVC WASTE VERTICAL & VENT PIPE	
⑲	110 (OD) uPVC 1st BASEMENT DRAINAGE PIPE TO 2nd BASEMENT DRAIN	
⑳	400 RO WATER SUPPLY PIPE FOR ALL KITCHEN	
● FT	FLOOR TRAP 110x110mm (uPVC SWR 'P' TRAP) WITH S.S GRATING	
● FD	FLOOR DRAIN (110x63mm) WITH S.S GRATING	
WB TO FT	40 (OD) uPVC PIPE	
FD TO FT	63 (OD) uPVC PIPE	
FT TO V STACK	110 (OD) uPVC PIPE	
WC TO V STACK	110 (OD) uPVC PIPE	
— CWSP	COLD WATER SUPPLY PIPE	
— HWSP	HOT WATER SUPPLY PIPE	
NO. OF PRINTS		
ISSUED TO		
DATE		
S.N.		
DATE		
DETAILS		
REVISIONS		
PROJECT TITLE:		
PROPOSED SAROVAR HOTEL AT ALWAR, RAJASTHAN		
CLIENT/DEVELOPER:		

ARCHITECTS:-		
ASA A SHARMA ASSOCIATES E-302, EAST OF KAILASH, NEW DELHI-65 PH. 26401700,26475054, 26451866, FAX:26478413 e-mail: msa@asharma.com, www.asharma.com		
MEP CONSULTANTS:-		
C TO C Consulting Engineers Pvt. Ltd. E-2B, - (Basement) East of Kailash, New Delhi-110065 (INDIA) Tel.: 011-43042523, 43052523		
STAGE		
SUBMISSION		
DRAWING TITLE		
MUMBTY & WATER TANK LVL. PLUMBING LAYOUT		
Designed		Approved
Avtar		V.K.
Scale	Date	Rev. No.
1:100@A1	11.11.2021	R-0
Drawing No.		NORTH
CTOC.PL-07		
ARCHITECT SIG.		
OWNER SIG.		
MEP CONSULTANT'S SIG.		