



(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)  
**NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION**

Project Name:	Rudrakshii		
Project Address:	Ashadeep Green Meadows, Village- Shri Kishanpura, Jagatpura Tehsil- Sanganer,		
Village:	Shri Kishanpura	Block:	Sanganer
District:	Jaipur	State:	Rajasthan
Pin Code:			
Communication Address:	6d, Corporate Tower, A-2, Near Jawahar Circle, Jln Marg, , Jaipur, Rajasthan - 302025		
Address of CGWB Regional Office :	Central Ground Water Board Western Region, 6-a, Jhalana Doongri, Jaipur, Rajasthan - 302004		

1. <b>NOC No.:</b>	CGWA/NOC/INF/ORIG/2020/9436									
2. Application No.:	21-4/10533/RJ/INF/2018			3. Category: (GWRE 2017)	Over Exploited					
4. Project Status:	Existing Project			5. NOC Type:	New					
6. <b>Valid from:</b>	17/12/2020			7. <b>Valid up to:</b>	16/12/2022					
8. Ground Water Abstraction Permitted:										
	Fresh Water		Saline Water		Dewatering		Total			
	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day	m <sup>3</sup> /year		
	108.00	39420.00								
9. Details of ground water abstraction /Dewatering structures										
	<b>Total Existing No.:0</b>					<b>Total Proposed No.:3</b>				
	DW	DCB	BW	TW	MP	DW	DCB	BW	TW	MP
Abstraction Structure*	0	0	0	0	0	0	0	0	3	0
*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit										
10. Ground Water Abstraction/Restoration Charges paid (Rs.):						157680.00				
11. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers					Monitoring Mechanism				
						Manual	DWLR**	DWLR With Telemetry		
**DWLR - Digital Water Level Recorder	1					0	1	0		

**(Compliance Conditions given overleaf)**

This is an auto generated document & need not to be signed.

**Validity of this NOC shall be subject to compliance of the following conditions:**

**Mandatory conditions:**

- 1) Installation of digital water flow meter (conforming to BIS/ IS standards) having telemetry system in the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate through the web-portal.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines . Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website (www.cgwa-noc.gov.in) within one year from the date of issue of this NOC.
- 8) The firm shall submit the water audit report in case of water requirement is in excess of 100 m3/day through certified auditors within three months of completion of the same to CGWA.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

**General conditions:**

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) In case, Impact Assessment Report is required as per criteria mentioned in the guidelines , the firm shall submit it in the prescribed format before 31st December 2020 (applicable for Semi-Critical and Critical Category) failing which this NOC will be treated as cancelled/invalid and Penalty/EC shall be imposed as per the guidelines.
- 25) In case, Hydro geological report is required as per criteria mentioned in the guidelines, the firm shall submit it in the prescribed format 31st December 2020 (In case of Mining) failing which this NOC will be treated as cancelled/invalid and Penalty/EC shall be imposed as per the guidelines.

**(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)**

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

Application Number : 21-4/10533/RJ/INF/2018

Applied For Renewal : 1st

<b>1. General Information:</b>	
<b>Water Quality:</b>	Fresh Water
<b>Application Type Category/ Type of Application:</b>	Group housing
<b>(i) Name of Industry:</b>	RUDRAKSHII
<b>(ii) Location Details of the Industrial Unit- (Attach Site Plan and Certified Revenue Sketch) (\$)</b>	
<b>Address Line 1 :</b>	ASHADEEP GREEN MEDOWS, VILLAGE- SHRI KISHANPURA, JAGATPURA TEHSIL- SANGANER,
<b>Address Line 2 :</b>	
<b>Address Line 3 :</b>	
<b>State:</b>	RAJASTHAN
<b>District:</b>	JAIPUR
<b>Sub-District:</b>	SANGANER
<b>Village/Town:</b>	Shri Kishanpura
<b>Latitude:</b>	26.000000
<b>Logitude:</b>	75.000000
<b>Area Type :</b>	Non-Notified
<b>Area Type Category :</b>	Over Exploited
<b>Whether industry is MSME:</b>	No
<b>(iii) Communication Address</b>	
<b>Address Line 1:</b>	6D, CORPORATE TOWER, A-2
<b>Address Line 2:</b>	NEAR JAWAHAR CIRCLE
<b>Address Line 3:</b>	JLN MARG
<b>State:</b>	RAJASTHAN
<b>District:</b>	JAIPUR
<b>Sub-District:</b>	
<b>Pincode:</b>	302025
<b>Phone Number with Area Code:</b>	
<b>Mobile Number:</b>	91-9928964049
<b>Fax Number:</b>	
<b>(v) Details of Existing NOC issued by CGWA (enclose copy) F-Mail:</b>	hr@ashadeepgroup.com
<b>NOC Letter No:</b>	CGWA/NOC/INF/ORIG/2020/9436
<b>Date of Issuance:</b>	17/12/2020
<b>Vailidity (Start):</b>	17/12/2020
<b>Validity (End):</b>	16/12/2022

Government of India  
Ministry of Jal Shakti  
Department of Water Resources, River Development and Ganga Rejuvenation  
Central Ground Water Authority (CGWA)  
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater  
(Application For Renewal of NOC)**

Application Number : 21-4/10533/RJ/INF/2018

Applied For Renewal : 1st

	Reason for not applying for renewal before expiry of NOC Validity (Attach Affidavit):	V r applying before expiry. Bore well will be dugged now, water abstraction after getting renewal .								
	(vi) Purpose of Renewal Application:	Existing Ground Water								
<b>2. Details of Water Requirement (Fresh and Recycled Water Usage):</b> (Please Enclose Water Flow Chart of Activities and Requirement of Water at each Stage) (\$)										
	(i) Total Water Requirement (a+b+c+d) (m3/day)			Existing		Additional		Total		
Water Requirement Details (Fresh Water) (m3/day)										
	(a) Ground Water Requirement (m3/day):			108.00		0.00		108.00		
	(b) Surface Water Available (Canal, River, Ponds etc.) (m3/day):			0.00		0.00		0.00		
	(c) Water Supply from Any Agency (m3/day):			0.00		0.00		0.00		
	Total Fresh Water Requirement (a+b+c)(m3/day):			<b>108.00</b>		<b>0.00</b>		<b>108.00</b>		
	(d) Recycled Water Usage (m3/day):			83.00		0.00		83.00		
	Total Water Requirement : (a+b+c+d)(m3/day)			<b>191.00</b>		<b>0.00</b>		<b>191.00</b>		
	(ii) Breakup of Water Requirement and Usage:									
	Activity	Existing Requirement (m3/day)		Additional Requirement (m3/day)		Total Requirement (m3/day)		No. of Operational Days in a Year		Annual Requirement (m3/year)
	Commercial Use	0.00		0.00		0.00		0		0.00
	Residential Use	108.00		0.00		108.00		0		0.00
	Greenbelt Development /Environment Maintenance	10.00		0.00		10.00		0		0.00
	Flushing Req.	73.00		0.00		73.00		0		0.00
	Grand Total	191.00		0.00		191.00				0.00
	(iii) Details of Water Availability from ETP / STP for Recycle / Resuse usage:									
		Existing			Additional			Total		
		(m3/day)	No. Of Days	(m3/year)	(m3/day)	No. Of Days	(m3/year)	(m3/day)	(m3/year)	
	Effluent / Sewerage generated and treated in ETP / STP:	150.00	365	54750.00				150.00	54750.00	
	Availability treated Effluent / Sewerage for usage:	83.00	365	30295.00				83.00	30295.00	

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

Application Number : 21-4/10533/RJ/INF/2018

Applied For Renewal : 1st

	Effluent / Sewerage discharge after treatment:	0.00	365	0.00				0.00	0.00
(iv)	Availability treated effluent usage : Total quantity same as 2 i (d) and 2 ii (b) above								
					Existing (m3/day)		Additional availability (m3/day)		Total Use + Availability (m3/day)
	Commercial Use				0.00		0.00		0.00
	Residential Use				0.00		0.00		0.00
	Greenbelt development				10.00		0.00		10.00
	Flushing Req.				73.00		0.00		73.00
	Total				83.00		0.00		83.00

**3. (a). Groundwater Abstraction Structure- Existing:**

Number of Existing Structures:

0

SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether Fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof
------	---	-------------------------------	--	---------------------	---------------------------------------	-------------------	---------------------	---------------------------------	---

**(b). Groundwater Abstraction Structure- Additional:**

Number of Additional Structures:

0

SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof
------	---	-------------------------------	--	---------------------	---------------------------------------	-------------------	---------------------	---------------------------------	---

**4. (a). Compliance to the Condition prescribed in the NOC**

SNo.	Conditions given in NOC	Compliance Conditions Applicable	Status of Compliance
1	Area Specific Plantation	Yes	Site specific plantation at project site has been done
2	Domestic Water School Sanitation	Not Applicable	
3	Groundwater quality monitoring - Pre monsoon and Post monsoon	Not Applicable	Project was not in operation. There is no functional borewell is existing at the site. Project will come in operation now and we will dig borewell after getting renewal of NOC. All compliances will be

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

**Application Number : 21-4/10533/RJ/INF/2018**

**Applied For Renewal : 1st**

4	Maintenance of recharge structures	Yes	RWH pits has been installed at the site.
5	Number of Pizometers as per NOC and Water Level Record	No	Project was not in operation. There is no functional borewell is existing at the site. Project will come in operation now and we will dig borewell after getting renewal of NOC. All compliances will be
6	Number of Tubewells Borewales as per NOC	No	Project was not in operation. There is no functional borewell is existing at the site. Project will come in operation now and we will dig borewell after getting renewal of NOC. All compliances will be
7	Pizometer fitted with AWLRs with telemetry as per NOC	No	Project was not in operation. There is no functional borewell is existing at the site. Project will come in operation now and we will dig borewell after getting renewal of NOC. All compliances will be
8	Quantum of Groundwater as per NOC	No	Project was not in operation. There is no functional borewell is existing at the site. Presently we are not abstracting groundwater. Project will come in operation now and we will dig borewell after g
9	Recharge through ponds	Not Applicable	
10	Recycle and reuse of water	Yes	Dual plumbing has been installed and reuse will be done for flushing and landscaping once the project comes in operation.
11	RWH and AR structures implemented	Yes	RWH Pits has been constructed at the site.
12	Submission of Compliance report to the Region	Yes	Yes we have submitted compliance online. however, project was not in operation. There is no functional borewell is existing at the site. Presently we are not abstracting groundwater. Project will come
13	Water conservation measures	Yes	Dual plumbing has been installed and reuse will be done for flushing and landscaping once the project comes in operation.
14	Water Security Plan of villages	Not Applicable	
15	Well monitored around the plant premises	Not Applicable	
16	Wells fitted with water meter and its Record	Not Applicable	

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

**Application Number : 21-4/10533/RJ/INF/2018**

**Applied For Renewal : 1st**

<b>(b). Compliance to the Condition prescribed in the NOC - Other</b>		
<b>SNo.</b>	<b>Conditions given in NOC</b>	<b>Status of Compliance</b>
5.	<b>Groundwater Availability (Please Enclose a Comprehensive Report / Note on Groundwater Condition / Groundwater Quality in and Around the Area) Applicable to Industries Consuming Greater Than 500 m3/day and / or having a Land Area of Greater Than 2 Ha.- (\$)</b>	
6.	<b>Details of Rainwater Harvesting and Artificial Recharge Measures for Groundwater Recharge in the Area. If the Firm has Proposed to take up Rainwater Harvesting and Recharge outside the Industrial Unit Premises, then provide NOC from the Concern Authority / Agency where the Harvesting Measures are Proposed, if Already implemented, details may be furnished. (Attach Report on Comprehensive &amp; Feasible Rainwater Harvesting / Recharge Proposal).- (\$)</b>	
	Rain water recharge pits has been installed. Structure will be capable of handling rainwater volume @ 35 m3/day and such 4 structures will accommodate up to total rainfall volume of 131.54 m3 in any rainfall event at peak rainfall occurrence	

**INDUSTRIAL USE- Self Declaration**

I hereby certify that the data and information furnished above are true to the best of my knowledge and belief and I am aware that if any part of the data / information submitted is found to be false or misleading at any stage, the application will be rejected outright.

I hereby declare that all the mandatory documents prescribed in the application form have been uploaded and no blank /irrelevant documents have been uploaded. I am also aware that any false/ wrong submission /uploading of document will lead to rejection of my application without any notice.

It is to certify that no case related to ground water withdrawal/ contamination is pending against the industry/ project/ unit as on date. Any such case filed against the company/ project/ unit in respect of ground water withdrawal/ contamination during the pendency of this application shall be immediately brought to the notice of CGWA.

I hereby undertake that in case any environmental compensation/ penalty is imposed on the firm by any statutory authority, I shall comply with the decision of such authority.

1. Application proforma is subject to modification from time to time.

2. Application is submitted online on website <http://cgwa-noc.gov.in> to following office.

**Regional Director, Central Ground Water Board Western Region, 6-A, Jhalana Doongri, JAIPUR, RAJASTHAN, 302004**

3. Incomplete application will be summarily rejected.

**Scanned copy of last page of application with signature and seal should be attached at prescribed place before submission of application.**

4. Receipt of Processing Fee of Rs. 5000.00/- (Rupees Five Thousand Only) submitted through NON TAX RECEIPT PORTAL (<https://bharatkosh.gov.in>) should be attached along with hard copy of application.

**Processing Fee:-**

Bharat Kosh Transaction Ref. No:-

Bharat Kosh Transaction Date:-

**Note:- The Processing Fee is Non-Refundable. Applicant should ensure and Check Eligibility of Submission of Application and Required Documents before Submitting Online Application.**

5. Hard copy of application required: No

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

**Application Number : 21-4/10533/RJ/INF/2018**

**Applied For Renewal : 1st**

6.	Ground Water Quality Approved	Not Define	Ground Water Charge Required:	Not Define
	Ground Water Charge Recieve:	No	Ground Water Charge Amount:	
			Ground Water Arear Amount:	

**Attached Files:**

**1). Site Plan : (Refer: 1 (ii))**

No Attachment Found!

**2). Certified Revenue Sketch : (Refer: 1 (ii))**

No Attachment Found!

**3). Reason for Not Applying for Renewal before Expiring NOC : (Refer: 1 (v))**

No Attachment Found!

**4). Existing NOC : (Refer: 1 (vii))**

S.No	Attachment Name	File Name
1	CGWA NOC	CGWA NOC.pdf

**5). Enclose Flow Chart of Activity and Requirement of Water: (Refer: 2)**

No Attachment Found!

**6). Groundwater Availability Report : (Refer: 4)**

No Attachment Found!

**7). Details of Rainwater Harvesting / Artificial Recharge Measures : (Refer: 5)**

No Attachment Found!

**8). Authorization :**

No Attachment Found!

**9). Extra Attachment :**

No Attachment Found!

**10). Compliance to the Condition prescribed in the NOC**

	S.No.	Conditions given in NOC	Attachments		
			S.No.	Attachment Name	File Name
	1	Area Specific Plantation	No Attachment Found!		
	2	Domestic Water School Sanitation	No Attachment Found!		
	3	Groundwater quality monitoring - Pre monsoon and Post monsoon	No Attachment Found!		

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

**Application Number : 21-4/10533/RJ/INF/2018**

**Applied For Renewal : 1st**

4	Maintenance of recharge structures	No Attachment Found!
5	Number of Pizometers as per NOC and Water Level Record	No Attachment Found!
6	Number of Tubewells Borewales as per NOC	No Attachment Found!
7	Pizometer fitted with AWLRs with telemetry as per NOC	No Attachment Found!
8	Quantum of Groundwater as per NOC	No Attachment Found!
9	Recharge through ponds	No Attachment Found!
10	Recycle and reuse of water	No Attachment Found!
11	RWH and AR structures implemented	No Attachment Found!
12	Submission of Compliance report to the Region	No Attachment Found!
13	Water conservation measures	No Attachment Found!
14	Water Security Plan of villages	No Attachment Found!
15	Well monitored around the plant premises	No Attachment Found!
16	Wells fitted with water meter and its Record	No Attachment Found!

**11). Compliance to the Condition prescribed in the NOC - Other**

S.No.	Conditions given in NOC	Attachments		
		S.No.	Attachment Name	File Name

**12). Bharat Kosh Reciept (Porcessing Fee):**

No Attachment Found!

**13). Application with Signature and Seal:**

S.No	Attachment Name	File Name
1	Application	Applicationn.pdf

**14). MSME certificate in case of MSME:**

No Attachment Found!

**Government of India**  
**Ministry of Jal Shakti**  
**Department of Water Resources, River Development and Ganga Rejuvenation**  
**Central Ground Water Authority (CGWA)**  
**Application for Issue of NOC to Abstract Ground Water (NOCAP)**

**Application for Renew of NOC Issued to Existing Infrastructure Projects Abstracting GroundWater**  
**(Application For Renewal of NOC)**

**Application Number : 21-4/10533/RJ/INF/2018**

**Applied For Renewal : 1st**

Date :

Name & Signature of the applicant

Place :

(With official seal)

**Associated User :** rudrakshll

**Submitted By User :** rudrakshll

**Submission Date :** 20/01/2023

\* In case signed by any authorized signatory, the details of the signatory with the authorization shall be enclosed.

-----